


Measurements


CROSS SECTION



Baseplates


| | |
|--------------------|---|
| a. Eave height | 3.83m |
| b. Ridge height | 5.51m |
| c. Length roofbeam | 5.41m |
| e. Windbracing | Roof: diameter 6mm Side: diameter 10mm |
| l. Bay distance | 5m |

TOP VIEW



Maximum 25m without windbracings

PARTS SPECIFICATION



1. Leg truss
2. Roof truss
3. Gable horizontal
4. Gable upright, eave purlin and ridge purlin
5. Intermediate purlin

A Structure of the Highest Quality

The classical design which has a multitude of applications such as exhibitions, conferences, logistical solutions, corporate hospitality and product launches.

Our PVC is manufactured from the highest quality Serge Ferrari fabric and is available in:

- standard translucent - maximising light
- opaque to provide total black-out for presentations
- crystal when you want to optimise a view or feature

Structures can be fitted with an integral cassette flooring system and with a variety of wall finishes and entrances.

The structure is designed in accordance with the British BS6399, German DIN 4112, French CTS and Eurocode.

Weight (kg)

| | Base | Extension + Windbracing | Extension |
|--------------|-------------|-------------------------|------------|
| Frame | 939 | 369 | 330 |
| Fabric | 207 | 94 | 94 |
| Total | 1145 | 463 | 424 |

Longest Part 5410mm

Time

Assembly Time

| | |
|-------------|------------------------------|
| Base: | 02:00H with 4 skilled people |
| Extensions: | 00:30H with 4 skilled people |

Dismantling Time

| | |
|------------|------------------------------|
| Base: | 01:30H with 4 skilled people |
| Extension: | 00:45H with 4 skilled people |

Extra Tools For more information please contact us.